

PUBLIC WORKS
Engineering

DATE: September 10, 2024

TO: PAUL ZACHARY,
PUBLIC WORKS DEPUTY
DIRECTOR

FROM: H. SOMDECERFF,
PUBLIC WORKS DESIGN
MANAGER

Standards and Specifications for Sanitary Sewer Long Service.


The Specification Review Committee recommends and asks the Public Works Deputy Director to approve the following:

1. Approve Standard No. 419, Standard Detail for Manhole Outside Drop Connections.


Please call me at (918) 596-7355 if you have any questions.

Thank you,

APPROVED:



Paul Zachary, Deputy Director




Date


Cc: Engineering Services Department Specification Review Committee

1836 * 1898

TUL * USA



NOTE: IF THE SEWER MAIN IS VCP OR RCP, THEN THE DROP SHALL BE SDR 26 PIPE AND FITTINGS WITH A MINIMUM 6' SDR 26 PIPE PUP PIECE TO THE VCP/RCP TRANSITION COUPLING

STANDARD DETAIL MANHOLE OUTSIDE DROP CONNECTIONS	
CITY OF TULSA, OKLAHOMA WATER & SEWER DEPARTMENT	
DRAWN BY: D.J.N. CHECKED BY: DATE: SEPT. 2024	APPROVED 
NOT TO SCALE	STANDARD NO. 419